Opie, Jodie

From: Opie, Jodie

Sent: Wednesday, February 20, 2019 9:16 AM

To: Ellens, Newton

Subject: RE: East Chicago's Local Limit for Cyanide

Categories: EZ Record - Shared

The new local limit is 0.019 mg/l or 19 ppb.

From: Ellens, Newton

Sent: Tuesday, February 19, 2019 1:56 PM **To:** Opie, Jodie <opie.jodie@epa.gov>

Subject: East Chicago's Local Limit for Cyanide

Hey Jodie,

(Forgive my endless emails to you.)

Do you know what East Chicago's local limit for cyanide is? I can't find a copy of ECSD's SUO online. I'm asking for the following reason:

- 1. On the first page of Safety-Kleen's December 11, 2018 correspondence (attached), SK stated that its current cyanide limit of 19 ppb is not technically achievable.
- 2. On the fifth page of ECSD's November 30, 2018 correspondence to us, ECSD stated that the new cyanide local limit changed to 0.19 mg/L. That equals 190 ppb, not 19 ppb, correct?

Exemption 5 (Deliberative Process)

Thanks,

Newton Ellens Pretreatment Program Manager U.S. Environmental Protection Agency (WC-15J) 77 West Jackson Boulevard Chicago, Illinois 60604 (312) 353-5562